
LAKE MEAD WATER QUALITY FORUM ALGAE TASK FORCE UPDATE






What A Difference 10 Years Makes What Will The Next 10 Years Bring?

TASK FORCE MEMBERS

Bill Shepherd
Dan Fischer
David Wong
Jon Sjoberg
Kevin Eubanks
Scott Schiefer
Todd Tietjen
Randy Pahl

Bryan Moore
Dana LaRance
Devon Morgan
Kent Turner
Peggy Roefer
Steve Weber
Doug Drury



Algae Task Force

Algae Task Force Summary — What Ten Years Has Taught Us

The Algae Task Force (ATF) was originally formed as a subcommittee of the Lake Mead Water Quality Forum (Forum) to investigate the causes of a green algae bloom that occurred throughout Lake Mead in 2001. To be proactive, the Lake Mead Water Quality Forum reconvened the Algae Task Force in 2010 as a result of a golden algae bloom at Lake Las Vegas.

The Algae Task Force is composed of a variety of local, state and federal agencies, whose roles and responsibilities as related to the monitoring and reporting plan have been agreed upon as outlined below:

- Develop and distribute the Blue Green Algal Toxins Monitoring and Reporting Plan;
- Coordinate and conduct monitoring throughout Lake Mead, Lake Mohave and the Las Vegas Wash in accordance with this Plan;
- Provide regular updates of analytical information to the appropriate agencies and Lake Mead Water Quality Forum;
- Develop and distribute a Fact Sheet and/or additional outreach materials deemed necessary to raise public awareness regarding blue-green algae;
- Raise public awareness of and promote the use of Best Management Practices (BMPs) to minimize nutrients entering waterways;
- Respond to media inquiries seeking general information on algal blooms;
- Take action necessary to ensure that public health and safety is maintained as well as that of terrestrial and aquatic wildlife.



Forum Home Page Last updated 03/07/2013 16:33:40

PREVIOUS PRESENTATIONS

- 2011 Tri-State Seminar
- January 2012 LMWQF
- ☐ February 2012 SQMC
- 2012 Lake Mead Symposium
- 2013 Lake Mead Water Quality Forum

2010 ALGAE TASK FORCE

Reviewed past reports and made observations

Present effort is to use data collected to help evaluate the water quality as a result of the lowering of Lake Mead's surface water elevations

Las Vegas Bay/Boulder Basin

- 2001 Task Force made recommendations for 10 activities to control future algae blooms
- 2010 Task Force addressed each one in the final report (<u>www.ndep.nv.gov/forum/algae.htm</u>)

NEWSPAPER ARTICLES

DATE	PUBLICATION	PAGES	TITLE
1/30/1955	LVRJ	2:3-6	Lake Mead Level at 1101 Feet, Lowest since 1938
5/11/1964	LVRJ	1:1-8	Colorado Water Curtailed By Udall
6/7/1964	LVRJ	13:3-6	Lake Lowering Effects Studied
1/8/1965	LVRJ	9:4-8	Photo at LV Wash showing low lake level
5/4/1967	LVRJ	1:4-8	Recreation Area Periled (Algae in Lake Mead)
11/12/1967	Nevadan	pp 4-5	Lake Mead Pollution Neglect
11/19/1967	Nevadan	pp 24-25	Lake Mead Pollution Neglect - part 2
5/12/1968	Nevadan	р3	What's New On Vegas Wash Pollution
6/23/1968	Nevadan	pp 4-5	We Can Stop Polluting Lake Mead Now
2/15/1970	Nevadan	pp 30-31	Foxes in charge of the chicken coop
9/13/1970	Nevadan	pp 30-31	Las Vegas Valley sewage
4/4/1971	Nevadan	pp 4-5	How sick is Vegas Wash
5/7/1982	Sun	pp 18-19	Our \$60 Million Tidy Bowl
8/20/1982	Sun	p 13	State Commission Delays Approval On Las Vegas Wastewater
9/10/1982	LVRJ	1 A	Officials Claim Lake Standards Too Costly
9/10/1982	Sun	p 15	State Oks Water Quality Standards
1/20/1997	LVRJ	online page	Eroding Wetlands May Affect Water Quality

REFERENCES

REFERENCE NAME	DATE
A Mathematical Model of Primary Productivity & Limnological Patterns in Lake Mead	Jan-72
Addendum To The Environmental Assessment Annex B LV Wash/Bay Pollution Abatement Project	Jul-74
Analysis of the WQS Proposed by NDEP – Main Report and Appendices	Aug-87
Appendices for Water Quality Standards Study Report	Mar-82
Comprehensive Survey of Sedimentation in Lake Mead 1948-49	Feb-57
Draft Water Quality Standards Study Report	Mar-82
Environmental Assessment Las Vegas Wash and Bay Pollution Abatement Project Annex B	Nov-72
Evaluation of Alternates for Water Pollution Control and Resource Management Phase III LV Wash/Bay Pollution Abatement Project Annex C	Mar-72
Evaluation of TMDL & Associated WQS Attainment for LV Wash, Bay, & Lake Mead	Oct-03
Final Report - Lake Mead Monitoring Program	Jul-76
Future Quantity and Quality of Colorado River	Mar-65
Lake Mead Water Quality History: Technical Report No. 4	Nov-80
Las Vegas Bay Study - Report to the Enforcement Division, U.S. EPA, Region IX	Jan-73
Las Vegas Valley Water Quality Program Final Annual Progress Report	Oct-80
Las Vegas Wash & Lake Mead Proposed WQS Revisions/Rationale	May-87
Microbiological Limnological, Nutrient Evaluations of LV Wash-Bay System	Feb-02
Micronutrients and Biological Patterns in Lake Mead	Jan-71
Physical Limnology of Lake Mead	Oct-51
Report on Pollution in Las Vegas Wash and Las Vegas Bay	Jan-67
Report on Wastewater Disposal	Oct-76
Report to Governor & Legislative Commission Final Alternate Plan LV Wash-Bay Pollution Abatement Project	Jul-74
Technical Assistance Report to the State of Nevada Department of Health, Welfare, and Rehabilitation	May-70
The 1963-64 Lake Mead Survey	Aug-70
The Effect of Las Vegas Wash Effluent Upon The Water Quality In Lake Mead	Jan-71
The Issues with Banning Phosphate Detergents in Clark County	Jan-78
The Limnology In Reservoirs On The Colorado River Technical Report No. 11	Sep-83
Water Quality Study of Lake Mead Report No. ChF-70	Nov-67


Lake Las Vegas

- □ Task Force reconvened in 2010 to study golden algae bloom in Lake Las Vegas and its potential impact on the Las Vegas Bay (Bay)
 - Seeding of the Bay with Prymnesium parvum is remotely feasible
 - Water quality conditions in the LV Bay are not favorable for growth of Prymnesium parvum


Wet Weather Total P Loadings

- Continues to be a potential cause (trigger) for algae blooms in the Las Vegas Bay
- Data collected in 2010 shows that Total P for storms appears to be quite large
- Data is still sparse, but needs to be considered
- Recommend more data be collected to characterize phosphorus loadings from storm flows
- Beware of warm spring rains!!

ESTIMATED DISCHARGERS' EFFLUENT AVERAGE DAILY TOTAL PHOSPHORUS Discharged to Las Vegas Wash Pounds per day



Las Vegas Bay Chlorophyll-a, ug/L 1992-2013




FUTURE VOLUME OF LAS VEGAS BAY


ELEVATION FEET	MILLION ACRE-FT	% CAPACITY
1223	1.09	100%
1200	0.88	81%
1100	0.35	32%
1075 (1 ST shortage)	0.26	24%
1050 (2 nd shortage)	0.20	18%
1025 (3 rd shortage)	0.14	13%
1000 (re-evaluate after 1025)	0.10	9 %


DISTANCE FROM LV WASH DELTA TO DRINKING WATER INTAKES

ELEVATION FEET	INTAKES #1 & #2 MILES	INTAKE #3 MILES
1093	6.5	5.5
1075	6.0	5.0
1050	5.5	4.5
1025	5.0	4.0
1000	4.5	3.5












Boulder Basin Water Quality Standards with LWLVB 3.5 Chlorophyll-a Data




DATE






Boulder Basin Water Quality Standards with LWLVB 2.7 Chlorophyll-a Data



Boulder Basin Water Quality Standards with LWLVB 1.85 Chlorophyll-a Data



What should the monitoring plan be for the future?

QUESTIONS

Doug Drury, Ph.D.
ddrury@cleanwaterteam.com
Clark County Water Reclamation District